


PAPILIO PATROCLUS.



CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes. (volatu diurno.)

CHARACTER SPECIFICUS, &c.

PAPILIO alis caudatis concoloribus fuscis, fascia lineari alba apicibusque albis.

Lin. Syst. Nat. p. 749.

Clerk ic. t. 25. f. 2.


Drury ins. 1. t. 7. f. 1.

Cram. ins. 10. t. 109. A. B.

Aub. miscell. 17. f. 1. 2.

Antennæ in hac specie setaceæ, ut in phalænis: genus igitur dubium.

Indiam, Sinam, &c. incolit Papilio Patroclus, magnitudine vera in tabula depictus.



430



3

London. Published June 1800. by J. P. Nees, & Newman, Newmarket Street.

PATROCLUS.

GENERIC CHARACTER.

Antennæ thickening towards the extremity and generally terminating in a clavated tip.

Wings (when sitting) upright. Flight diurnal.

SPECIFIC CHARACTER, &c.

Brown Butterfly with an oblique white stripe across the wings, and the tails of the wings tipped with white.

Phalene Chauve-Souris de la Chine.

Pl. Enl. 17.

The Antennæ in this species are setaceous, as in the Phalænæ, and its genus is in reality dubious.

This Insect is a native of India, China, &c. and is represented on the plate in its natural size.